

Title	分散システムにおける動的、断続的、伝搬的なフォー ルトの取り扱いに関する研究
Author(s)	Nguyen, Dang Thanh
Citation	
Issue Date	2015-03
Type	Thesis or Dissertation
Text version	ETD
URL	<a href="http://hdl.handle.net/10119/12749">http://hdl.handle.net/10119/12749</a>
Rights	
Description	Supervisor:Defago Xavier, 情報科学研究科, 博士

# Abstract

Today, when many computing services are relying on large scale distributed systems, the system reliability becomes one of the most challenging research topics. A distributed system is defined as the set of computational processes that collaboratively work to solve the same problem. In distributed systems, fault, which usually occurs everywhere, is the most critical issue of reliability. In some system configurations, a single simple fault can easily corrupt the correctness of the system. Moreover, the recovering time from failed state is usually much larger than the execution time of a computation in the systems. Thus, fault-tolerance, which ensures the system still works correctly in the presence of faults, becomes a fundamental property of distributed systems.

Fault-tolerant distributed systems have been widely studied in literature for both process and communication channel failure. However, most of existing works focus on tolerating static faults occurring in processes of a stationary network whereas computational machines are more dynamic today due to the development of communication and mobile computing technology. Therefore, dynamic fault-tolerance problem is gaining more research interest. Unlike a static one, a dynamic fault can randomly move between the processes. Consequently, dynamic faults are more difficult to tolerate due to the change of their location and the increasing of the number of faults.

In this research, we aim to tolerate the dynamic faults, which are modeled as the movement of malicious mobile agents between processes in a stationary network. We study to deal with different levels of dynamicity of faults including the *intermittent* to *propagating* malicious fault. In particular

- For intermittent malicious fault, we propose a model that balances the power between the malicious agent and the correct process, which is not justified in the previous models. Under the proposed model, we prove the tight bound on the total number of processes to tolerate a given number of faults as well as the optimal algorithm.
- For problems with propagating fault, we study the possibility to limit the number of faults in a bounded value. This is a two-side problem of the spread of fault (which is also called as infection) and the containment of such spread. This problem is studied under a stochastic model, in which, three parameters play an important role: (1) the probability of successful infection, (2) the probability of successful detection and (3) the countermeasure against the infection.

---

By both simulation and mathematical analysis, we found that *long-edge*<sup>1</sup>, which connects different clusters, is an important factor favoring the propagation. The propagation can be contained in graph that does not include long-edges, while it is impossible to isolate in graph having long-edges.

**Keywords:** distributed systems, fault-tolerant, dynamic, transient, propagation

---

<sup>1</sup>The definitions of *long-edge* and *local-edge* are given in Section 4.5.1