

Title	低密度格子符号の構成および復号化
Author(s)	Parrao Hernandez, Ricardo Antonio
Citation	
Issue Date	2016-12
Type	Thesis or Dissertation
Text version	ETD
URL	http://hdl.handle.net/10119/14049
Rights	
Description	Supervisor:KURKOSKI, Brian Michael, 情報科学研究科, 博士

氏名	PARRAO HERNANDEZ Ricardo Antonio		
学位の種類	博士(情報科学)		
学位記番号	博情第 353 号		
学位授与年月日	平成 28 年 12 月 22 日		
論文題目	Construction and Decoding of Low Density Lattice Codes		
論文審査委員	主査	Brian M. Kurkoski	北陸先端科学技術大学院大学 准教授
		松本 正	北陸先端科学技術大学院大学 教授
		Le Minh Nguyen	北陸先端科学技術大学院大学 准教授
		Tadashi Wadayama	名古屋工業大学 教授
		Emanuele Viterbo	Monash Univ. 教授

論文の内容の要旨

Modern information and communication systems are based on the reliable and efficient transmission of information. For practical applications the coding scheme used by the transmission system not only needs to have good coding characteristics, but also needs to be efficiently implemented.

Different efficient coding schemes exist for q -ary fields, but in the real world communications the noise model is usually not in a q -ary field, instead they exist in the real domain. A coding scheme that can exploit the real algebra of the channel which is a more natural approach for data transmission.

Lattice codes have potential to become an efficient and practical coding scheme for the AWGN channel and particularly for multi-terminal Gaussian networks because the encoder and the channel use the same real algebra.

Recently, a variety of lattices called low density lattices codes (LDLC) have been studied because they can be seen as a Euclidean space code analogue to low density parity check codes (LDPC). Has been reported that LDLC lattices can attain 0.6dB to the unconstrained capacity for dimension 100,000. In addition, they can be decoded efficiently using iterative decoders. Previous constructions for LDLC lattices, such as the latin square design, are based on high-complexity computer search algorithms to eliminate 4-cycles.

On the other hand, finite fields codes based on array codes have been widely studied, these codes have a deterministic (no pseudorandom) and low computational complexity construction. In addition, a triangular-structured parity check matrix based on array codes can be easily constructed, which add

benefits for encoding.

In the iterative LDLC decoder the messages consist of infinite Gaussian mixtures, and for any implementation, the Gaussian mixtures must be approximated. Different authors had introduced various ways to overcome the Gaussian mixtures approximation, but these methods are not a good approximation and/or have a high computational complexity.

The focus of this dissertation is to describe an efficient construction and iterative decoding algorithm for LDLC lattices. In this dissertation there are two main contributions:

1. The first main contribution is the design of LDLC lattices based on array codes. The proposed lattices are called "array LDLC lattices". The inverse generator matrices for array LDLC lattices can be defined by four parameters, and has the following properties: a 4-cycle free matrix to improve the performance of the belief propagation (BP) decoding, triangular structure to aid encoding and shaping operations, sparseness for low storage and has a deterministic construction, i.e. no pseudorandom construction.

The benefit of the structure of the array LDLC lattices is that the generator matrix can be obtained by doing block matrix inversion. And the generator matrix can be used to derive an upper bound for the minimum distance. By numerical results the derived upper bound is a good approximation for most of the array LDLC lattices. In addition having a triangular structure some elements are less protected than others. A method to balance the protection of the elements is given. These methods also can be used as a guide for LDLC lattice design.

Finally, for all cases considered, the array LDLC lattices have a better performance than the Latin square construction.

2. The second main contribution is a new parametric LDLC lattice decoding algorithm, the new decoding algorithm is called the "three/2 Gaussian parametric decoder", the proposed decoding algorithm approximates the infinite mixture of Gaussian with a finite number of Gaussians either two or three. The major advantage of the proposed LDLC decoding algorithm is a favorable performance-complexity tradeoff as compared to previous parametric decoding algorithms. Another advantage of the proposed algorithm is that it is nearly parameter-free; the only parameter selection of interest is the number of Gaussians in the approximation, two or three Gaussians. This is in contrast to other LDLC decoders that have algorithmic parameters.

Strengths of the algorithm include its simplicity and suitability for analysis. Analysis is performed by evaluating the Kullback-Leibler divergence between the true messages and the three/two Gaussian approximation. The approximation using three or two Gaussians is more accurate than previously proposed approximations.

Also, noise thresholds for the three/two Gaussian parametric decoding algorithm are presented, the proposed decoder reduces the noise thresholds 0.05dB compared to previous parametric decoders. The numerical results show that for $n = 1,000$ the two-Gaussian approximation is the same as the best known decoding algorithm. But when the dimension is $n = 10,000$, a three-Gaussian approximation is needed. Finally the results presented are a guideline on how to choose different parameters for LDLC lattice design.

The array LDLC lattices and three/two Gaussian parametric decoding algorithm are a step forward to a more practical algorithms for LDLC lattices.

Keywords: Lattice codes, LDLC lattices, deterministic construction, parametric decoder

論文審査の結果の要旨

This dissertation describes (1) a new construction and (2) a new decoding algorithm for low-density lattice (LDLC) codes. LDLC lattices provide methods for communicating near the fundamental limit, the channel capacity. This dissertation provides fundamentals for the use of lattices in practical applications such as wireless communications. The first contribution (1) named array LDLC provides a construction free of short loops, which aids belief-propagation decoding; properties of the construction such as minimum distance were analyzed. The second contribution (2) is a belief-propagation decoding algorithm which overcomes some complexity limitations of previous algorithms, without reducing the error-rate performance. Complexity analysis was provided, but one committee member commented it could have been improved.

The committee members judged the work to be of high significance. They found the work to be of very high academic quality and of good effectiveness and applicability. As the candidate's own work, the degree of originality was also judged high, as it led a published IEEE journal paper and a IEEE letter submission. His response to questions was sharp, with good answers. The dissertation was clear and well organized.

All of the committee members evaluated "A" and there was strong agreement that the quality of the dissertation was excellent, and approved awarding the doctoral degree to

Ricardo Antonio Parrao Hernandez.