

Title	対話システムの確認応答がユーザに与える効果の分析
Author(s)	市野, 貴之
Citation	
Issue Date	2002-03
Type	Thesis or Dissertation
Text version	author
URL	http://hdl.handle.net/10119/1567
Rights	
Description	Supervisor: 島津 明, 情報科学研究科, 修士

Analysis of user impressions by dialogue system confirmations

Takayuki ICHINO (910009)

School of Information Science,
Japan Advanced Institute of Science and Technology

February 15, 2002

Keywords: explicit(implicit) confirmation, aizuchi, total confirmation.

Recently, we use information systems in a diary life with the advance of information technology. Spoken dialogue systems which are able to make a reservation or provide some sight seeing information for people have been being studied. It is considered to be more useful if we can communicate with dialogue systems naturally using spoken languages as we talk to people.

However, there are a lot of unsolved problems such as incompleteness of speech recognition, parsing spoken languages including repairs and slips, and unnatural interaction. So, it is difficult for us to say that spoken dialogue systems are useful at present.

Regarding the fluency of dialogues, to give a back-channel or confirmation properly is necessary as we can see in human-human dialogues for communicating fluently. Such appropriate responses seem to make spoken dialogue systems more useful.

In this paper, we focus on four types of dialogue system confirmations such as an explicit confirmation, an implicit confirmation, aizuchi, and a total confirmation. The explicit confirmation means confirm repeatedly. The implicit confirmation means not confirm explicitly but confirm in the next utterance indirectly. Aizuchi means confirm with an understanding word such as 'hai'. The total confirmation means confirm totally at the end

of a dialogue. We then studied how we should control their confirmations in order to make spoken dialogue systems useful for users.

First, we analyzed dialogue transcriptions in Japanese regarding room-reservations in order to make clear how confirmations and aizuchi appear in human-human dialogues.

We noticed that people confirm an important condition (number of people) in the initial stage, and use a total confirmation for specific conditions (number of people, day, and starting time) in a human-human dialogue of making a reservation.

Second, we made a spoken dialogue system for a room reservation task. The system has the initiative of dialogue and responses with 12 confirmation strategies. The 12 strategies are used to make clear how confirmations or back-channels affect user impressions.

The dialogue system consists of a speech recognizer module and a reservation module. The speech recognizer module converts speech inputs to a sequence of letters, and send them to the reservation module. Next, the reservation module matches a sequence of the letters from the speech recognizer module to keywords, and makes responses based on the result. A dialogue is proceeded according to a room reservation frame.

As patterns of confirmation strategies, we set 24 patterns of confirmation strategies in total. One confirmation strategy is to confirm explicitly for all reservation conditions (number of people, day, and starting time), another is to give back-channels for all reservation conditions, another is to confirm implicitly for all reservation conditions, another is no responses for all reservation conditions, another is to confirm explicitly for two reservation conditions (number of people, day), and give a back channel for one reservation condition (starting time), the other is to confirm explicitly for one reservation condition (number of people), and give a aizuchi for the rest of reservation conditions. Besides, we included strategies with the total confirmation to each of the confirmation strategies.

We prepared two kinds of system utterances to each strategies. The system utterance A is “How many people would you like to reserve for?”, “What day would you like to reserve?”, “What time would you like to reserve from?”, and the system utterance B is “What is the number of people you’d like to reserve for?”, “What is the day you’d like to reserve?”,

“When is the time you’d like to reserve?”

Next, we made an experiment in order to analyze differences of user impressions among confirmation strategies. The procedure of the experiment was as follows: (1) we showed the experiment sheet to each subject. The sheet describes the purpose and the way of the experiment. We didn’t give any information at all except the sheet.

(2) We showed subjects a reservation sheet which describes reservation information such as the number of people, the day, the starting time and then asked the subjects to make a reservation with the dialogue system based on the reservation sheet. (3) We also asked the subjects to fill in a questionnaire on a scale one to five at the end of each dialogue. The questionnaire consists of 4 questions relevant to user impressions like (1) “Was a dialogue fluent?” (2) “Was a system utterance easy to answer?” (3) “Was a total confirmation necessary?” (4) “Was a system useful?”

The subjects for the experiment are 12 students (4 men and 8 women) who don’t belong to the department of information science, and are around 20 years old. They made a reservation 24 times with the dialogue system of different strategies. We recorded 288 dialogues in all. 35 in 288 dialogues failed to complete the tasks.

As for the evaluation, we considered 4 measures such as the scores of a questionnaire, the elapsed time, the number of turn, and the number of repetitive utterance, and analyzed the dialogue data.

Finally, as the result of the experiment, system utterance expressions are one of the important factors for the system usability. The elapsed time, and the number of turn are rarely relevant to the system usability. and, Proper confirmations are also important for system usability and the fluency of dialogue.

As further works, several problems should be considered : which system utterance expressions are effective for the system usability, how we should deal with the initiative of dialogue, and how we should control the timing of system confirmations like barge-in responses.