

Title	形態的なアプローチによるソフトロボットの構造的なダメージへの補償:ウイスキーセンサーの場合
Author(s)	NGUYEN, HUU NHAN
Citation	
Issue Date	2022-03
Type	Thesis or Dissertation
Text version	ETD
URL	http://hdl.handle.net/10119/17790
Rights	
Description	Supervisor:Ho,anh Van

氏名	NGUYEN, Huu Nhan		
学位の種類	博士 (情報科学)		
学位記番号	博情第 467 号		
学位授与年月日	令和 4 年 3 月 24 日		
論文題目	MORPHOLOGICAL APPROACH FOR MOTOR-SENSORY COMPENSATION OF SOFT BODY WITH STRUCTURAL DAMAGES: CASE OF SOFT WHISKER		
論文審査委員	HO ANH VAN		
	(main examiner)	JAIST	准教授
	鶴木 祐史	JAIST	教授
	CHONG Nak-Young	JAIST	教授
	岡田 将吾	JAIST	准教授
	Perla Maiolino	Oxford University	准教授

論文の内容の要旨

After decades of intensive research and creative innovation, modern autonomous machines (robots) now have the capabilities to accomplish pre-programmed tasks with an incredible precision repeatably in multi-thousands (or even millions) cycles. A study of 46 countries and 800 occupations by McKinsey Global Institute has reported that, by 2030, there would be at least 800 million global employees lost their jobs to high-functional robotic systems. Although the process of industrial robot development is still growing fast and strong, as a roboticist, I personally think it is time to bring robotic systems out of their "cozy home" in factory workplaces to more challenging, unstable environments (*e.g.*, near humans) where adaptability, robustness, and resilience against all kinds of uncertainties are vitally required. For the last decade, there is a nascent class of robots called *soft robots* that offer flexibility to a few components or even the whole robot's body similar to living organisms. These machines are built with many intriguing abilities of locomotive behaviors, perceptions, and cognition that we have seen a lot from natural species, whilst pretty rare or none existed in rigid robots before. With this spirit, resilience in response to structural changes to the body due to critical damages is an instance.

Researchers in the field have been struggling to develop a new clan of regenerative robots by integrating flexibly adaptable controllers. However, such approaches have never, so far, proved themselves as efficient methods in actual scenarios mostly because the processor can not afford in terms of time for a massive computational burden as they usually assign. Not to mention the expensive cost to build up supportive systems does not ensure successful resilience. Meanwhile, biological counterparts such as rodents or spiders, through millions years of evolution, learn how to couple their variable body's morphology with the brain to facilitate their interaction with the surrounding and enable intelligent functionalities including resilience. Such fascinating intelligence are widely known with the name *embodied intelligence* - or embodiment. This thesis attempts to clarify the use of embodied intelligence for the development of a new generation of resilient robots with a particular focus on soft tactile sensory systems. This work is achieved by summarizing all investigations (which are reported in top-ranked conference proceeding and journals in robotic field) that I have done on an soft whisker-like tactile sensor with variable morphology.

As an inhabitant in unstructured, lack-of-vision environments, rodents such as rats rely much on the sensibility of their vibrissal system for various tactile exploration tasks. However, high frequency of physical impacts to the surroundings poses a critical challenge in maintenance of the sensing function in response to injured whiskers (e.g. eroded, broken), so-called resilience process. To successfully mimic such exquisite ability into an artificial whisker, I introduced a novel design of whisker sensor that is able to actively change its morphology (*i.e.*, equivalent to tactile perception) in order to regain the original sensitivity despite being broken. Experimental results shown in this thesis demonstrate the feasibility of the idea of resilience based on adaptive morphology and its possibility to aid in tactile perception in more complex scenarios. It is also expect to reset our common sense in creating intelligent autonomous machines.

Keywords: Soft robots, structural changes, embodied intelligence, resilient robot, soft whisker-like tactile sensor.

論文審査の結果の要旨

Embodied intelligence has been widely researched recently, especially with the emerge of soft robotics since mechanical properties of soft materials may benefit in intelligent behaviors of the whole robot. It considers that the intelligence of robotics lies not merely in the control domain, but in the combination of brain, body, and the interaction with environment. In this sense, the morphology of robotic body is a source of intelligence that can potentially shape the functionality of soft robots. However, physical impacts to the surroundings poses a critical challenge in maintenance of the sensing function in response to structural damage (e.g. eroded, broken). Here, Mr. Nguyen introduced, for the first time, a novel design of a whiskered sensor that is able to actively change its morphology in order to regain the original sensitivity despite being broken. Experimental results shown in this thesis demonstrate the feasibility of the idea of resilience based on adaptive morphology and its possibility to aid in tactile perception in more complex scenarios. Two main contributions are as follows:

①A novel design of whiskered sensor that can actively change partly its morphology (shape and softness) using reinforced pneumatic actuator was proposed and successfully fabricated. Based on this sensing platform, a *compensation strategy* was conducted when the whisker is trimmed, for regaining the sensibility as before being trimmed. From this showcase, it demonstrates that adaptive morphology plays a vital role in recognition of resilience ability for soft-bodied objects.

②An optimization process of whisker's design, considering the geometrical and mechanical properties, was proposed for determining proper morphology that should be fabricated for specific compensation task. This contributes to understanding the role of morphology in determination of sensing ability, and how the perception can be realized through embodiment.

Overall, the thesis successfully demonstrates a compensation strategy of tactile perception in cases of structural damage, based on active morphologies. The findings in this thesis showcases the potential of adaptive morphology in shaping the sensing behavior, and bringing in resilience for future robot. Therefore, we approved awarding a doctoral degree to Nguyen Huu Nhan.