

Title	Method of Object Extraction for Architecture : Object Approach towards a Logical Design Focusing on User Knowledge
Author(s)	Mitsui, Yasuhiro; Nagai, Yukari; Taura, Toshiharu
Citation	
Issue Date	2007-11
Type	Conference Paper
Text version	publisher
URL	http://hdl.handle.net/10119/4088
Rights	
Description	The original publication is available at JAIST Press http://www.jaist.ac.jp/library/jaist-press/index.html , KICSS 2007 : The Second International Conference on Knowledge, Information and Creativity Support Systems : PROCEEDINGS OF THE CONFERENCE, November 5-7, 2007, [Ishikawa High-Tech Conference Center, Nomi, Ishikawa, JAPAN]

Method of Object Extraction for Architecture: Object Approach towards a Logical Design Focusing on User Knowledge

Yasuhiro Mitsui†

Yukari Nagai†

Toshiharu Taura‡

†Department of Knowledge Science Studies,

Japan Advanced Institute of Science and Technology

‡Graduate School of Science and Technology, Kobe University

{YasuhiroMitsui, ynagai}@jaist.ac.jp, taura@mech.kobe-u.ac.jp

Abstract

In the conventional method of architecture, planning is done according to the building type, the framework of the past or existing buildings, by referring to the user requirements provided by the user ([6], [4]). This process does not depend much on the user requirements, but on the building types. However, architectures built according to the building types cannot meet contemporary user's requirements, which are specialized and diversified. A revolution in the building types, therefore, is an ambitious architectural goal to achieve [3].

To implement an architecture independently of the building types, it is crucial to obtain sufficient user requirements in order to be able to use them in the design process. But there is no method to bring the viewpoint of the user into the process of architectural planning [1]. The Method of Object Extraction for Architecture (OEA method) is a new method to realize it using object technology. Its recursive process and visual diagrams help the user to remind unconscious knowledge and to generate new knowledge of the requirements for the building. As a result, the OEA method extracts the user's knowledge thoroughly and translates it into documents effectively.

This article is an introduction to the OEA method. We apply the method to a real house building project to analyse its results and design process. We also contrast the features of the OEA method with two other methods of architectural analysis and logical design, to illustrate how the method realizes comprehensibly a logical view of the building.

Keywords: Architectural Planning, House Design, User Requirements, Knowledge Science, UML

1 Introduction

1.1 Background

Analysis and logical design are often treated comparatively lightly in architectural design. Architectural design work can be divided into two big phases: *design planning*, which includes analytical work and logical design, and *designing*, which includes physical design [4]. Although requirement definitions for architecture are the first stage of logical design and the source for all planning, they take a small part of the design planning phase, which also contains physical design such as *scale planning*, *situation planning*, *ground planning*, *structure planning*, etc. The requirement definitions are usually treated simply as given by the user. Even in the Programming of W. Peña [6], which is a method of architectural analysis widely used around the world and a part of the American Architect Registration Examination, user requirements can be obtained through a questionnaire and by stimulating the user to decide. All of this results in an informal collection of requirements depending on the talent and the experience of each architect. Consequently, the quality of the requirement definitions tends to be unavoidably inconsistent.

After collecting imperfect requirements, an architect designs a building based upon corresponding building types which were typical architectural frameworks prepared through the study of currently existing and past buildings (e.g. hospital, school, house, etc.). The innovation in the building types has been said to be crucial, since the current types are based upon past usage of the buildings, and then they cannot always satisfy the individuals' varied and specialized modern lifestyle any more [3].

The Architecture Planning Committee of the Japan Architecture Society discussed in a sym-

posium about the fact that there are regrets that few attempts to include the viewpoint of the user in the process of architectural planning had been done, and that the method for doing it was still hesitant [1]. A typical case could be seen in the public building competition held by Akita City in 1998 [8]. The user requirements that were part of the competition specifications were far from comprehensive, and neither concrete nor specialized. The applicants must provide the planning documents for at least three floors given insufficient user requirements, though there were many conditions in terms of laws, physical restrictions, administrations and contracts.

These problems cause a lack of formal method to extract user requirements sufficiently.

1.2 Purpose

To achieve a unique physical design independent of building types, it is necessary to obtain explicit and comprehensive documents describing user requirements which are a thorough extraction of user knowledge for the building. By obtaining such documents, the architect can guarantee the user that the building satisfies the requirements even if it is designed as the most unique building that has ever existed. The purpose of this paper is to introduce a new method which extracts such documents from the users.

1.3 Method of Object Extraction for Architecture

How can we achieve this aim? We cannot just ask the user to provide the requirements from his own knowledge, since the user is not conscious of the entire requirements at the beginning. Even the user is not usually conscious of who actually uses the building. Often the user who joins the design work is the owner of the building, but real users of the building include many more *actors* [5] as well as the owner. For example, the owner of a house is a family, and the real users of the house include not only family members who live in the house, but also customers, guests who stay overnight, a gardener who cares for the trees and plants regularly, and a potter who is the father, whose hobby is pottery.

The user, of course, has plenty of knowledge about his own building, but some of his own knowledge for the requirements is unconscious, and some has not been found yet. The user has to think about them and create them, since they are potential. The purpose of the OEA method is

to extract the entire user knowledge for the requirements using the features of object technology [2]: principle or nature, object model, object-oriented analysis and design, etc. Employing the OEA method in a public building competition will allow to add comprehensive, more concrete and specialized user requirements to rather equivocal specification documents.

2 Methods

2.1 Application Project of the OEA Method

In order to analyse the process and obtain the results of creative design, we applied the OEA method to the real house building project of family F. carried out in Fukuoka Prefecture, in Japan. Mr and Mrs F. joined the project as users of the house and the primary author of this paper conducted the process. The method was applied by holding four interviews of about three hours each, from September to December 2006. Also, some homework was done by the users between the interview sessions. All of the resulting documents are sorted and written out fairly by the conductor of the process.

After the completion of the resulting documents, the F. family's house design competition was held in June 2007. Four architects participated in the competition. We analysed two contrasting resulting plans.

2.2 Process of the OEA Method

The OEA method has three phases of analysis: the Use Case Analysis, the Scenario Analysis, and the Architectural Object Analysis.

The Use Case Analysis is the phase in which the user of the building thinks about and finds out who the real users (called *actors*) of the building are and how the actors use the building (called *use cases*). The purpose of this phase is to draw use case diagrams for the building using the use case specification defined by the Object Management Group (OMG) as a part of a UML (the standard object-oriented analysis and design language) specification [5]. A use case diagram is visual and easy to understand for both the user and architect. The resulting documents of the phase are *Use Case Diagrams*.

The Scenario Analysis is for the user to think about concrete procedures for each use case. Here, step-by-step scenarios for regular cases and special cases are written by the users. The resulting documents of the phase are *Scenarios*.

Architectural Object Analysis uses a description of all scenarios to extract all objects which are used for or related to the building. We call them *architectural objects*. The nouns are picked up from the scenarios and merged into architectural objects, their attributes or parts. After that, the verbs related to the architectural objects are picked up to be their functions. All architectural objects are sorted into lists with a view of object relationships. The lists are categorized according to the purpose. All objects can be assembled into Object Diagrams which represent logical views of the building with a whole-part relationship. The resulting documents of the phase are *Lists of Architectural Objects* and *Object Diagrams*.

It is expected that the architect will be able to use the results as logical design documents: *Object Diagrams* for the logical structure of the building, a *List of Architectural Objects* for the details of building objects, *Use Case Diagrams* for an overview of the building usage, and *Scenarios* for the details of the usage.

For the user, it is important for the process of the OEA method to be recursive, that is one of the natures of object technology. The user, therefore, can draw upon his own knowledge, which includes unconscious knowledge and not-yet-found knowledge, by interacting with the resulting documents.

3 Results

In this section, we will present some examples

of resulting documents of the OEA method and resulting plans *with* and *without* using the OEA documents from the design competition.

3.1 Resulting Documents of the OEA Method

We found that the process of the OEA method for the F. family's house project took time, but it was not wasteful to go back. The resulting documents were built cumulatively in the recursive process with an interaction between the user and the documents. This design process is different from the informal or architect-dependent process which consists in repeating interviews to obtain the requirements.

The resulting documents of the application project of the OEA method were *Use Case Diagrams*, *Scenarios*, a *List of Architectural Objects* and *Object Diagrams*, which would be a logical design for the house.

Use Case Diagrams

Fig. 3.1 is the main use case diagram of the F family's house. The biggest rectangle with a bold line represents the house. The line drawing figures around it are actors. Ellipses on the diagram are use cases which represent how the actors use the house. The symbol with big and small combined rectangles is called a *package*, which indicates that there is a collection of use cases. These descriptions follow the UML specification of the OMG [5].




Figure 3.1. Use Case Diagram (main)

All actors and use cases were found by the F. family. Interestingly, they found a thief as a negative actor who tries to get into the house (bottom left in Fig. 3.1.). They wrote a scenario for the use case of the thief (see Fig. 3.3., later in the **Scenarios** paragraph), and it resulted in an outside object, the Dark ground of the house (seen in Fig. 3.5., later in the **List of Architectural Objects and Object Diagrams** paragraph). We regarded this as a sample of not-yet-found knowledge of the users.

Visit, Stay and Live packages have a relationship of inheritance (see Fig. 3.1.). The Live package is extended from the Stay package,

which is itself extended from the Visit package. This means that, if an actor is connected to the Live package, the actor has use cases of all three packages (for further technical details on *inheritance*, see [2], [5]). We have found a total of eighty-two use cases for the house.

Scenarios

One or more typical step-by-step procedures were written for the use case. Three scenarios related to the *small kitchen* object are shown in Fig. 3.2 below.

<p>MAKE PICKLED UME, UME LIQUOR AND RAW CITRON PEPPER (from Live Package)</p> <ol style="list-style-type: none"> 1. Gather materials from the parents' home or from the vegetable garden. 2. Do preparation in the <u>small kitchen</u> at the back door under the eaves. 3-a. Put <i>umes</i> in bamboo sieves and dry them in the foods-drying place which is exposed to a lot of sunshine and hide from view from the entrance and living & dining room. 3-b. Open the door and go into the food storage area, which has a 4.5 <i>tatami</i> size floor, to make pickled <i>ume</i>, <i>ume</i> liquor and raw citron pepper. <p>GATHER VEGETABLES (from Live Package)</p> <ol style="list-style-type: none"> 1. Gather vegetables from the vegetable garden. 2. Wash muddy vegetables and put unnecessary leaves into the compost bin in the <u>small kitchen</u>. 3-a-1. Take off shoes at the 'taking-off-shoes' place when you enter the food storage area. 3-a-2. Put the vegetables in the food refrigerator in the food storage area. 3-b. Dry onions and persimmons in the food-drying place which is exposed to a lot of sunshine. <p>BARBECUE (from Visit Package)</p> <ol style="list-style-type: none"> 1. Get materials from the kitchen to the barbecue table in the garden. 2. Get charcoal, a folding table and chairs, a gridiron, etc. from the garage. 3. Barbecue. 4. After the barbecue, wash the gridiron, etc. in the <u>small kitchen</u>. 5. Put burning charcoal into the charcoal pot. Dig in the garden and bury the ashes.

Figure 3.2. Scenarios of Use Cases related to the Small kitchen object

The example below is the use case of the thief, 'try to get into the house'. The scenario shows

that the house has a function such that the thief failed to get into the house.

<p>TRY TO GET INTO THE HOUSE</p> <ol style="list-style-type: none"> a-1. Try to get into the house through the dark ground of the house. a-2. The dark ground of the house is covered with security gravel, which makes sounds, which scare the thief and make him run away. b-1. Try to get into the house, but the slide shutters are closed and locked; consequently, the thief failed.
--

Figure 3.3. Scenario of the Use Case 'try to get into the house' of the 'Thief' actor

List of Architectural Objects and Object Diagrams

Architectural objects picked up and sorted from

the scenarios are categorized and assembled into the List of Architectural Objects. Here are some examples for three categories *Room*, *Storage* and *Outside* (Table 3.1).

Table 3.1. List of Architectural Objects (partial)

Object	Usages / Contents	Comments
<<Room>>		
Small kitchen	Prepare to make <i>ume</i> liquor and pickled <i>ume</i> . Wash and cut vegetables to cook. Put unnecessary leaves into compost bin. Clear up the barbecue tools.	At the back door under the eaves
Special <i>tatami</i> room	Drink tea. Eat sweets. Eat at folding low table. Talk. Change closes (guests). Sleep (guests). Take out floor mats from <i>oshiire</i> storage. Take out futons from <i>oshiire</i> to air in the garden. Etc.	Six or eight mat room. At least four guests can stay overnight.
<<Storage>>		
Garage storage	Storage pole to air futons, barbecue tools, farm appliances.	
<i>Oshiire</i> storage	Storage guest futon sets, floor cushions.	in Special <i>tatami</i> room
<<Outside>>		
Deck in the garden	The Grandmother cuts the children's hair. Take a nap on the chair. Set the table. Eat at the table. Drink tea. Eat snacks. Chat. Use the telephone.	Seamlessly continued from living & dining.
Dark ground of house	Cover with security gravel, which makes sounds when a thief tries to get into the house.	

All Usages/Contents and Comments are also picked up from the scenarios. This list is a kind of cross-reference between objects and functions, i.e. nouns and verbs from the scenarios.

Let us examine, as a typical example, 'small kitchen': first, we selected the noun 'small kitchen' found in the description of the Scenarios to be an architectural object; second, we picked up the nouns and verbs related to 'small kitchen' from the Scenarios. The related nouns and verbs became attributes, functions or related parts (child objects) of the 'small kitchen' object. The usages of 'small kitchen', which became functions of the 'small kitchen' object, were seen in Table 3.1. The four functions were sought and picked up from the scenarios of three use cases which had the noun 'small kitchen', as seen underlined in Fig. 3.2, and so was the comment 'At the back door under the eaves,' which

is an attribute of the 'small kitchen' object, from the second item of the first scenario.

All architectural objects were extracted from the Scenarios in the analytical process of this kind. Once the Scenarios are fixed, the logical design of the building will, therefore, be determined accordingly. We have found eighteen objects for the room category, eleven objects for the storage category, fourteen objects for the outside category, and 103 objects to put in rooms and outside. The total number of objects was 146, which were all nouns extracted from the scenarios.

Fig. 3.4 is an Object Diagram which represents the logical design of the house. This diagram is composed of the eighteen room category objects. The diamond symbols represent whole-part relationships.




Figure 3.4. Object Diagram of the F. family's House.

3.2 Plans Resulting from the Competition *with and without the OEA documents*

Two architects' plans of the F. family's house by four participants of the design competition are shown in this section. One architect named Y.S. read the OEA documents very carefully and designed the house according to them, the other, named A.W., did not refer much to the OEA

documents and designed the house with his usual method. Both architects had seen the land where the house would be built, and had met and talked with Mr and Mrs F. for a few hours at that time.

Fig. 3.5 shows a plan by Y.S., who followed the OEA documents, while Fig. 3.6 shows a two-storied house plan by A.W., who did not.




Figure 3.5. Plan by Architect Y.S., *with* the OEA documents




Figure 3.6. Plan by Architect A.W., *without* the OEA documents

We have compared the floor plans of both architects to the List of Architectural Objects

which represents user requirements. Tables 3.2 and 3.3 below show if the plan met the architect-

tural object requirement. Here, ‘yes’ means that the plan satisfied the object requirement explicitly, ‘possible’ means that the plan possibly satisfied it, and ‘no’ means that it did not satisfy it

for some reason. Only ‘no’ was counted as not meeting the requirements, and the object requirement satisfaction rate was calculated.

Table 3.2. Y.S. Plan Meeting Rate for the List of Architectural Objects

	# of objects	yes	possible	no	meeting rate (%)
room category	18	18	-	-	100
storage category	11	11	-	-	100
outside category	14	11	3	-	100
TOTAL	43	40	3	-	100

Table 3.3. A.W. Plan Meeting Rate for the List of Architectural Objects

	# of objects	yes	possible	no	meeting rate (%)
room category	18	10	1	7	61
storage category	11	10	-	1	91
outside category	14	1	5	8	43
TOTAL	43	21	6	16	63

Room objects and requirements which the A.W. Plan did not satisfy are shown in Table 3.4 below (*italicized comments are by the authors*).

Table 3.4. Room Objects and Requirements which the A.W. Plan did not meet

Object	Requirements not met by the A.W. Plan
Parents’ Bedroom	The room should <i>not</i> be exposed to the afternoon sun. Sounds from the toilet never reach the room. (<i>The room is located on the first floor with 10.0 tatami</i>)
Children’s Bedrooms	The rooms should be located where the parents can take every possible care of the children, such as next to the living room. The rooms should be made good use of after the children leave the house (<i>The rooms are separated on the first floor</i>).
Study Room	Use a PC. Take a book from a bookshelf. Read a book. Drink tea. Use the telephone. Listen to the music. (<i>The room is omitted</i>)
Kitchen	A Kitchen Working Table is necessary to cook, dish up a meal and to bring dishes to the dining table. Four to five persons cook together in the kitchen (<i>not enough space</i>).
Entrance or Garage	The Coop. delivery person puts an armful nest of boxes of food materials under the eaves where guests cannot see.
Bathroom	When it snows, go out from the door (<i>directly from the bathroom, naked</i>).
Food Storeroom	Make pickled <i>ume</i> , <i>ume</i> liquor, raw citron pepper and so on. Drink at the folding table. Use the telephone. (<i>The room is omitted</i>)

4 Discussion

4.1 Comparison with Other methods

We contrast the features of architectural analysis and logical design of the OEA method with two other methods: *Architectural Programming* and the *Evaluate Grid Method*.

Architectural Programming by W. Peña

The Programming is an analysis directed by a *Programmer*. It is prior to Designing, which starts with a master planning or conceptual design directed by a *Designer* [6].

In the Programming, the user requirements are obtained by questionnaires at the beginning and by stimulating users to decide in the following work sessions. There is no concrete method provided. Consequently, the quality depends on the ability and experience of the Programmer. We believe that it is useful to integrate the OEA method into the process of Programming.

Evaluate Grid Method

This is an interview method for user requirement analysis. The method was developed by means of improving the interview method used in

clinical psychology. The resulting document, *Evaluation Structure Diagram*, is composed of the user requirements and the ideas to implement them. The procedure to extract the user requirements consists in, first, providing the user with various photos of buildings and asking to group them according to one's degree of satisfaction, and then by asking the reason why. The method argues that this process illustrates the user requirements [7].

The Evaluate Grid Method is a kind of interview method to conduce the user to talk about his tastes and evaluation of the buildings. Structurally, it lacks the comprehensiveness aiming to reach a complete model of the building. We therefore cannot use the resulting document Evaluation Structure Diagram as a logical design of the building.

4.2 Effectiveness of OEA method

The process of the OEA method made the users remind and find their knowledge about the building. We mentioned the example that the F. family found: the Actor 'thief' who 'tries to get into the house' (Fig 3.5). That finding or dug-up knowledge resulted in a design considering 'security gravel' (bottom of Table 3.1) which is implemented in the architect Y.S.'s plan as a shaded square visible at the top-middle and at the right side of the garage in Fig. 3.5.

Without the OEA documents, architect A.W.'s plan meets only 63 % of user requirements, while Y.S.'s plan meets 100 % with the OEA documents. There are some serious defects in the plan of A.W. regarding room objects, as seen in Table 3.4: the *Parents' Bedroom* may have to be moved from the northwest corner to somewhere else, the *Kitchen* space must be expanded, and two important rooms should not be omitted, unless the users abandon or change their requirements.

4.3 Conclusion

The aim of the OEA method is to not neglect the current architectural design process. The method makes the logical design of architecture richer than ever by introducing a systematic or formal analytical method focusing on user knowledge.

Through the application of the OEA method

to a house building project, we could confirm that the three recursive analyses extracted user requirements which can be a rich base for the physical design of the house.

The user could just concentrate to think about real users of the house (actors), their usages of the house (use cases) and their step-by-step procedures (scenarios). As a consequence, this brought forth all the architectural objects, and the logical design of the house.

Acknowledgment

We wish to thank the F. family and Forza, the architectural produce company, for their persevering cooperation, which lasted for months. We are also grateful to the two architects A.W. and Y.S. for gracefully allowing us to use their design documents.

References

- [1] The Architecture Planning Committee, Japan Architecture Society (1989). *Design Methods and Design Subjects*, Shokokusha.
- [2] Graham, Ian (1994). *Object-oriented Methods*, second edition, Addison-Wesley Publishers Ltd.
- [3] Hattori, Mineo, Sato, Hitoshi et al. (2002) *Architectural Design Planning: for new architectural planning*, Asakura Shoten.
- [4] Nagamori, Kazuo (2004). *Planning for Architecture Textbook*, Inoue Press.
- [5] Object Management Group (2005). *Introduction to OMG's Unified Modeling Language (UML)*, http://www.omg.org/gettingstarted/what_is_uml.htm, Object Management Group.
- [6] Peña, William, Parshall, Steven et al. (1987). *Problem Seeking: An Architectural Programming Primer*, John Wiley & Sons Inc.
- [7] Ujikawa, Masato (2001). *Humanizing of Architectural Space: Human space creation using environmental psychology*, Japan Architecture Society (Ed.) Shokokusha.
- [8] Akita City, Akita, Japan Public competition specification for the multi-function complex core buildings planning (1998). "Akita port renaissance project" <http://www.city.akita.akita.jp/city/in/hb/port/comp/default.htm> Akita City