

Title	A Case Study : Analyzing the One Dimensional Ising Model by Probabilistic Model Checking
Author(s)	Sekizawa, Toshifusa; Tsuchiya, Tatsuhiro; Kikuno, Tohru; Takahashi, Koichi
Citation	
Issue Date	2008-03-03
Type	Presentation
Text version	publisher
URL	http://hdl.handle.net/10119/8291
Rights	
Description	5th VERITE : JAIST/TRUST-AIST/CVS joint workshop on VERification TEchnologyでの発表資料, 開催 : 2008年3月3日, 開催場所 : 北陸先端科学技術大学院大学・情報科学研究科棟 5F コラボレーションルーム 7, JAIST 21世紀COEシンポジウム 2008「検証進化可能電子社会」と共催

A Case Study: Analyzing the One Dimensional Ising Model by Probabilistic Model Checking

Toshifusa Sekizawa^{1,2}, Tatsuhiro Tsuchiya²,
Tohru Kikuno², and Koichi Takahashi¹

1: National Institute of Advanced Industrial Science and Technology (AIST),
Research Center for Verification and Semantics (CVS).


2: Graduate School of Information Science and Technology, Osaka University.

March 3, 2008

Proposed Method

- Analyzing the Ising model using **probabilistic model checking**.

As an example, we analyze physical phenomena of the **1D Ising model**.



Outline

- The Ising model
- Probabilistic Model Checking
- Discussion

The Ising model

The Ising model is:


- a simplified model for magnets.
- $G = (S, E)$
 - spin $S = (s_1, s_2, \dots)$, $s_i = +1, -1$
elementary microscopic objects.
 $s = +1$ represents up, and $s = -1$ represents down.
 - energy E
macroscopic physical quantity.

The one dimensional Ising model

The 1D Ising model has:


- n spins, s_1, s_2, \dots, s_n , located on a line in order.
- boundary condition $s_{n+1} = s_1$.
- interactions restricted to nearby spins (s_i, s_{i+1}).
- energy $E(s_1, s_2, \dots, s_n) = -J \sum_{i=1}^n s_i s_{i+1}$
- physical quantity
 - magnetization

$$M(s_1, s_2, \dots, s_n) = \sum_{i=1}^n s_i$$



Random spin flipping

1. Choose a spin s_i randomly.
2. Fix other spins $s_{i \neq j}$ and evaluate the energy difference $\Delta E = E' - E$, where $E = E(s_1, \dots, s_i, \dots, s_n)$ and $E' = E(s_1, \dots, s'_i, \dots, s_n)$
3. If $\Delta E < 0$, the spin flipping is accepted. Otherwise accepted with probability $e^{-\Delta E/T}$, where T is temperature.
4. Repeat steps 1 to 3 sufficient number of times.




Behaviour of the Ising model

We consider

- neighbourhood of equilibrium

$$\Delta E = E_0 + 1, \quad \Delta M = M_0 \pm 1$$

where energy $E_0 = -n$, and magnetization $M_0 = 0$ at equilibrium.



Outline


- The Ising model
- Probabilistic Model Checking
- Discussion

Probabilistic model checking

A formal technique of verification.

- Input
 - a finite transition system (model)
(DTMC: Discrete Time Markov Chain)
 - a property
(PCTL: Probabilistic real time Computation Tree Logic)

- Output
 - true / false



DTMC (Discrete Time Markov Chain)

Let AP be a set of atomic propositions.

A labelled DTMC (Discrete Time Markov Chain) is a tuple $\mathcal{M} = (V, v^i, \mathcal{T}, \mathcal{L})$:

- V , a finite set of states.
- $v^i \in V$, the initial state.
- $\mathcal{T} : V \times V \rightarrow [0, 1]$, a transition probability function
such that $\forall v \in V, \sum_{v' \in V} \mathcal{T}(v, v') = 1$.
- $\mathcal{L} : V \rightarrow 2^{\text{AP}}$, a labelling function.

PCTL

PCTL (Probabilistic real time Computation Tree Logic) is a probabilistic extension of the temporal logic CTL.

[H. Hanson, et al. Formal Asp. Comput. 1994]

- Syntax:

$$\varphi ::= \top \mid \perp \mid p \mid \neg\varphi \mid \varphi \vee \varphi \mid \varphi \wedge \varphi \mid \varphi \rightarrow \varphi \mid \mathbb{P}_{\sim\lambda}(\psi)$$

$$\psi ::= \varphi \cup \varphi \mid \varphi \cup^{\leq t} \varphi$$

where p is an atomic proposition,

$\sim \in \{<, \leq, \geq, >\}$ is a relational operator,


$\lambda \in [0, 1]$ is a probability, and

$t \in \text{Nat}$ or ∞ .

- Semantics

(*snip*)

Examples of DTMC + PCTL



- “The probability of reaching a state where p holds within 10 steps is greater than 0.3.”

$$\mathbb{P}_{>0.3} (\top \text{ U}^{\leq 10} p)$$

- “A state where p holds is reachable (with probability 100%).”


$$\mathbb{P}_{\geq 1} (\top \text{ U } p)$$

PRISM

Probabilistic Symbolic Model Checker

[<http://www.prismmodelchecker.org/>]

- input
 - a DTMC model
 - a property
 - PCTL formula
 - calculating probability
 - (transition) rewards



- output
 - true / false, probability, value of expected rewards


Modelling

Modelling the 1D Ising model

- 10 spins, s_1, \dots, s_{10} , located on a line in order.
- interaction coefficient $J = -1$ (anti-ferromagnetic).
- boundary condition $s_{11} = s_1$.
- temperature T is constant in a model.
- transition rule is the random spin flipping.
- each transition has value of reward 1.
- energy $E(s_1, s_2, \dots, s_N) = -J \sum_{i=1}^N s_i s_{i+1}$
- magnetization $M(s_1, s_2, \dots, s_N) = \sum_{i=1}^N s_i$

Properties verified

“equilibrium is reachable from arbitrary state, after reaching equilibrium, the system stays in neighbourhood of equilibrium within 100 times of spin flipping with probability more than 70%.”



$$\mathbb{P}_{\geq 1}(\top \cup ((E = 0 \wedge M = 5) \wedge \psi_{in}))$$

where $\psi_{in} = \mathbb{P}_{\leq 0.3}(\chi_{lhs} \cup^{\leq 100} \chi_{rhs})$,

$\chi_{lhs} = (E \leq 2) \wedge (4 \leq M \wedge M \leq 6)$, and

$\chi_{rhs} = (2 < E) \vee (M < 4 \vee 6 < M)$

Outline

- The Ising model
- Probabilistic Model Checking
- Discussion

Discussion

Probabilistic model checking and Computer simulation:

- probabilistic model checking
based on exhaustive search.
 - advantage: formal definitions, reusability of models.
 - disadvantage: unsuitable to verify time dependency.
- computer simulation
based on evaluation along time series.
 - advantage: suitable for statistic analysis.
 - disadvantage: unsuitable for formal methods.

Conclusion

Probabilistic model checking

- is useful to analyze the (1D) Ising model.
- will be able to cooperate with computer simulation.

Future work

- Solving the state explosion problem.
 - abstraction, symmetry reduction, etc.
- Analyzing the 2D Ising model.
 - more practical problems such as phase transition.
- Analyzing other probabilistic systems.
 - genetic algorithm, etc.

(end of slides)

This presentation is based on:

T. Sekizawa, T. Tsuchiya, T. Kikuno, and K. Takahashi,
***“Analyzing the One Dimensional Ising Model by
Probabilistic Model Checking”***,

Proceedings of the IASTED Asian Conference on Modelling
and Simulation, pp.199-204, ACTA Press, October 2007.